

**Amendments to the Claims:**

This listing of claims will replace all prior versions and listings of the claims in the application:

**Listing of claims:**

1.-6. (Cancelled)

7. (Previously Presented) A communication terminal, comprising:

a module interface configured to receive a module, wherein the module includes a module user identification used in a communication network for identifying a user of the module;

a memory configured to store a content;

a receiver configured to receive a message to disable a specified content;

a processor in communication with the module interface, the memory and the receiver, the processor configured to retrieve the module user identification from the module, and the processor further configured to, in response to receipt of the message, determine whether the content stored in the memory includes the specified content, and in response to determination that the content stored in the memory includes the specified content, the processor is further configured

to determine whether the specified content is stored in the memory in correlation with the module user identification; and

in response to the determination that the specified content is stored in the memory in correlation with the module user identification, the processor further configured to disable use of the specified content stored in the memory.

8. (Previously Presented) The communication terminal of claim 7, wherein to disable use of the specified content, the processor is further configured to erase the specified content from the memory.

9. (Previously Presented) The communication terminal of claim 7, further comprising:

the processor configured to retrieve management data stored on the module, and the processor further configured to manage access to the specified content based upon the management data retrieved from the module; and

the processor further configured to disable use of the specified content stored in the memory further includes the processor configured to modify the management data stored on the module to disable use of the specified content by the communication terminal.

10. (Previously Presented) The communication terminal of claim 9, wherein the processor is further configured to control the module based upon a type of the module.

11. (Previously Presented) The communication terminal of claim 9, wherein the processor is further configured to control access to the specified content based upon a permission indication contained within the management data.

12. (Previously Presented) The communication terminal of claim 9, wherein in response to receipt of the message to disable the specified content, the processor is further configured to delete the specified content based upon the information contained in the management data.

13. (Currently Amended) A communication terminal, ~~the communication terminal,~~ comprising:

a memory including computer program code executable on a processor, the computer program code including:

an instruction to parse a message received through a communication network to disable a content stored in a communication device;

an instruction to retrieve a user identification from a module coupled to the communication device, wherein the user identification identifies a user of the module to the communication terminal

an instruction to determine whether the content specified in the message is stored in the communication device in correlation with the user identification retrieved from the module; and

an instruction to, in response to the determination that the content is stored in correlation with the user identification retrieved from the module, to disable use of the content.

14. (Previously Presented) The communication terminal of claim 13, wherein the instruction to disable use of the content further comprises:

an instruction to erase the content in the message to be disabled from the memory.

15. (Previously Presented) The communication terminal of claim 14, further comprising:

an instruction to retrieve management data stored on the module, and the processor further configured to manage access to the content based upon the management data retrieved from the module; and

an instruction to, in further response to the determination that the content is stored in correlation with the user identification retrieved from the module, modify the management data stored on the module to disable use of the content by the communication terminal.

16. (Previously Presented) The communication terminal of claim 15, wherein the instruction to modify the management data stored on the module to disable use of the content by the communication terminal comprises:

an instruction to control the module based upon a type of the module.

17. (Previously Presented) The communication terminal of claim 15, further comprising:

an instruction to govern access to the content based upon the management data.

18. (Currently Amended) The communication terminal of claim 15, further comprising:

an instruction to, in response to receipt of the message to disable the content, [[to]] delete the content based upon the information contained in the management data.

19. (Previously Presented) The communication terminal of claim 13, further comprising:

an instruction to, in response to the determination that the content is stored in correlation with a different user identification that other than the user identification of the module, deny access to the content.

20. (Cancelled)

21. (Currently Amended) ~~The method of claim 20,~~ A method for controlling access to a specific content stored on a communication device based upon an identification of the communication device within a mobile communication network, the method comprising:

connecting, with a communication terminal identified with a user identification, to a communication network;

receiving, with the communication terminal, a message to control a content;

in response to receipt of the message to control the content, determining, with the communication terminal, whether the content specified in the message is stored in a memory of the communication terminal in correlation with the user identification; and

in response to determination that the content specified in the message is stored in the memory of the communication terminal in correlation with the user identification, controlling the content stored in the memory of the communication terminal based upon the message, wherein controlling the content stored in the memory of the communication terminal based upon the message further comprises erasing the content from the memory of the communication terminal.

22. (Currently Amended) ~~The method of claim 20, further comprising:~~ A method for controlling access to a specific content stored on a communication device based upon an identification of the communication device within a mobile communication network, the method comprising:

connecting, with a communication terminal identified with a user identification, to a communication network;

receiving, with the communication terminal, a message to control a content;

receiving, from a module attached to the communication terminal, the user identification, wherein the user identification identifies a user of the module to the communication terminal;

in response to receipt of the message to control the content, determining, with the communication terminal, whether the content specified in the message is stored in a memory of the communication terminal in correlation with the user identification; and

in response to determination that the content specified in the message is stored in the memory of the communication terminal in correlation with the user identification, controlling the content stored in the memory of the communication terminal based upon the message, wherein in response to determination that the content specified in the message is stored in the memory of the communication terminal in correlation with the user identification of the module, modifying a content management table stored on the module to disable use of the content with any communication terminal operated in conjunction with the module.

23. (Previously Presented) The method of claim 22, further comprising:  
controlling the module based upon a module type of the module.

24. (Currently Amended) The method of claim ~~[[27]]~~ 22, further comprising:  
governing access to the content based upon the content management table stored in module.



25. (Previously Presented) The method of claim 22, further comprising:

based upon the content management table stored in the module, deleting  
the content.